


FIG. 1

FIG. 2

Incubate candidate antibody with native aaHAse



Wash away unbound material and add acidic assay medium








FIG. 3




								10			
28 45	73	117 135	162 179	207 224	252 268	295 313	340 358	385 403	430 445	435 490	
₽ ₽	- E	A 1 Y M	D W Q L	D C	V L T Q	F >	X W	는 <u>라</u>	шш О .	. s	
그 >	D W G V	T F	A Z	다 다 다	В. В Х	T 0	N E	L Z	ъ ж Ж	. L	
. д.	d 0		00	ני ט	L M	<u>н</u>	- 1	H	A O	. 🕰	
Σ ₹	0 U	O O	0 0 0	大 大 H	Y 1 Y	F Y V F.	Q A L L	고 고 7	W Q L S	. v	
E E	T E Z A	T F A K	> 1 1	S	ъ s г	O K	S S	K A S D	P G S T	. Z . ⊁	σ
A Q T L	G Q R I	A D K	R A I E	D H H	7 J	→ H K K	K M K	H P S	CY	. H	ζĠ
D M C L	Z S	H L	R S	z z	A A	L F A	T T S	T S X	C C S S	Б	FIG
L L P C	V A I G	I A Q D	K K Q Z	E R	S S	> 4	Z I	以 以	X X	. 汩	, ,
Eн	> 4	11 11	≯ ⊁	4 1	U Z 3	ĒĒ	S S	> =	шЖ	. H	
H 7	E E	A S		3 5 1 2 1	نرير	Za	SW	© 0 ≃ >	IA V S E	. W E	
A T F	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Z X Q Q	T X Y	O X	ဗ	GD	> 0 X X	HO	OOF	. e.	ID NO: 3) ID NO:11)
I C	5	1 1 U	W D W K		100	A A P D	S S	C S C	D Q A D L 再	. Y	U C C C C C C C C C C C C C C C C C C C
1 D	D V	ט ט	r r Z Z	f A G V E	ZZ	. K	00	بر نے	m m	 O A F	(SEQ.
n r	> =	r Z	X X	W F L	O M	> > A &	4	0 0 4 <i>></i>	ST	. О	435 (S 509 (S
# > © 0	HG	P V	7 T	A	R A I K	≅ ≅	0 0 1 C	SOS	A L S	 V C I	4. S L 5
MA	L E R L G K	T G E	WRI	A A R A G K	S G I Z < E	A F	4 >	LLK	≅ ≅ 8		· A
. ¥ . >	W C L	· H	⊞ ⊞ 4 ·⊞	Q G E K	0 U	VAE VRE	SE	Q Q	S L T V	. · I	. s
. S	TOV	Y T P	D W I	E E	0 0 0 0	H Z	С G В В В В	S	F F F F	. >	. H
, E4	ZA	ZZ		D Q	ΗZ	O K	ST	> >	00	. 0	
. E4	K K Z Z	YPYP	S GLAV GMAV	A A A	2 U 2 U 2 E	OMYV TLYV	E H V Y	2 Z	U U	. A	. H
 K H I	T V W N W A W N	GTYP GYYP	O O	A B X	S X	Ø M T L			L T P G G E K G	 T D	. s
. II	7 7 X X	0 N	S .	A E	F L Y K	S	1	e e U Z	7 O	X X D	. > . H
. 」 . >	P F T A F L	S S	P D D N	Qш	D	1		T		S M D V	M.
MGVLK	NRPFTTVWNA NVAFLWAWNA	FYSS FYVD	4 b	PAP SLT	Y N Y	Е С Q S	H F L P K F L S	DTT GFFTLN ETI NFY IN	S Z E E	ж Х А	A T
luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20	luca-1 ph20
luc	lu, P	ji d	ul P	ul P	Ju P	lu P	la F	ul Ţ	7 7	3 H	









HSC-3 Orthotopic SCC Model
Peritumor Injections of Recombinant
Human PLasma HA'se





Fig. 10

Muristerone Injected HSC-3 +/- Ecdysone Inducible Hyaluronidase Gene Construct



Time to Cachexia (15% Weight Loss) HSC-3 Orthotopic Model

♣ 400rRTU PHase (PT) q.48 Hours






FIG. 12